Blakely, Sokoloff, Taylor & Zafman LLP (714) 557-3800
Title: NINETY DEGREE COUPLER FOR RADIO FREQUENCY DEGRADED CIRCUITS

1st Named Inventor: Paul P. Chominski
Application No.: 10/646,100 Docket No.: 2661P056D
Sheet: 1 of 7





Figure 1






Figure 3

Blakely, Sokoloff, Taylor & Zafman LLP (714) 557-3800
Title: NINETY DEGREE COUPLER FOR RADIO FREQUENCY DEGRADED
CIRCUITS

1st Named Inventor: Paul P. Chominski Application No.: 10/646,100 Sheet: 2 of 7

2/7

Docket No.: 2661P056D

FREQ- MHZ	DB[S11]	DB[S22]	DB[S21]	DB[S31]	DB[S23]	ANG[S21]	ANG[S31]
10.0000	<i>-35.455</i>	<i>-35.455</i>	-25.823	-0.014	-34.986	86.676	-2.986
20.0000	-29.573	-29.573	-19.831	-0.056	-29.104	83.382	-5.960
<i>30.0000</i>	-26.285	-26.285	-16.355	-0.124	-25.815	80.139	-8.912
40.0000	-24.117	-24.117	-13.915	-0.217	-23.647	76.970	-11.837
<i>50.0000</i>	-22.614	-22.614	-12.045	-0.334	-22.144	73.886	-14.737
60.0000	-21.581	-21.581	-10.534	-0.473	-21.111	70.890	-17.619
70.0000	-20.925	-20.925	-9.266	-0.632	-20.454	67.974	-20.500
80.0000	-20.608	-20.608	-8.170	-0.813	-20.137	65.120	-23.403
90.0000	-20.633	-20.633	-7.201	-1.017	-20.161	62.297	-26.359
100.000	-21.048	-21.048	-6.324 5.013	-1.248 1.276	-20.576 -20.961	59.460 58.020	-29.407 -30.979
105.000	-21.434 -21.969	-21.434 -21.969	-5.913 -5.517	-1.376 -1.513	-20.901 -21.496	56.553	-30.979 -32.588
110.000 115.000	-21.969 -22.690	-21.909 -22.690	-5.517 -5.134	-1.513 -1.662	-21.490 -22.217	55.052	-34.242
120.000	-22.090 -23.655	-22.030 -23.655	-4.765	-1.824	-23.181	53.506	-35.944
122.000	-24.128	-24.128	-4.700 -4.620	-1.893	-23.655	<i>52.873</i>	-36.639
124.000	-24.563	-24.663	-4.477	-1.965	-24.190	<i>52.231</i>	-37.343
126.000	-25.272	-25.272	-4.336	-2.039	-24.798	51.578	-38.055
128.000	-25.967	-25.967	-4.197	-2.117	-25.494	50.915	-38.777
130.000	-26.769	-26.769	-4.060	-2.198	-26.297	50.240	-39.507
132.000	-27.704	-27.704	-3.924	-2.282	-27.232	49.553	-40.246
134.000	-28.810	-28.810	-3.791	-2.370	-28.340	48.853	-40.994
136.000	-30.143	-30.143	<i>-3.659</i>	-2.462	-29.675	48.140	-41.751
138.000	-31.790	-31.789	-3.529	<i>-2.558</i>	-31.328	47.412	-42.517
140.000	-33.894	-33.894	-3.401	-2.658	-33.447	46.670	-43.290
142.000	-36.701	-36.701	-3.276	-2.764	-36.291	45.913	-44.071
144.000	-40.454	-40.455	-3.153	-2.874	-40.175	45.140	-44.860
146.000	-43.250	-43.249	-3.031	-2.990	-43.249	44.351	-45.654 46.454
148.000	-40.149	-40.149	-2.913	-3.112	-39.949 25.690	43.545	-46.454 47.250
150.000	-36.028	-36.028	-2.797 -2.684	-3.239 -3.374	-35.680 -32.454	42.723 41.883	-47.259 -48.066
152.000 154.000	-32.857 -30.390	-32.857 -30.390	-2.004 -2.573	-3.514 -3.515	-32.434 -29.963	41.026	-48.875
156.000	-28.385	-28.385	-2.466	-3.663	-27.945	40.151	-49.684
158.000	-26.697	-26.697	-2.362	-3.819	-26.250	39.259	-50.491
160.000	-25.239	-25.239	-2.262	-3.984	-24.786	38.350	-51.292
162.000	-23.954	-23.954	-2.165	-4.156	-23.498	37.423	-52.087
164.000	-22.804	-22.804	-2.072	-4.338	-22.346	36.480	-52.871
166.000	-21.765	-21.765	-1.982	-4.529	-21.304	35.521	-53.641
168.000	-20.815	-20.815	-1.898	-4.730	-20.353	34.546	-54.393
170.000	-19.942	-19.942	-1.817	-4.942	-19.479	33.557	-55.123
175.000	-18.028	-18.028	<i>-1.636</i>	-5.518	-17.563	31.026	-56.819
180.000	-16.415	-16.415	-1.487	-6.166	-15.948	28.429	-58.252
185.000	-15.033	-15.033	-1.372	-6.892	-14.565	25.790	-59.306
190.000	-13.841	-13.841	-1.292 1.249	-7.695 8.571	-13.372 12.228	23.137	-59.834 -50.655
195.000	-12.808 -11.912	-12.808	-1.248 1.220	-8.571 -9.507	-12.338 -11.441	20.501 17.914	-59.655 -58.555
200.000	-11.912	-11.912	-1.239	-3.307	-11.441	11.314	-50.555

Figure 4

Blakely, Sokoloff, Taylor & Zafman LLP (714) 557-3800
Title: NINETY DEGREE COUPLER FOR RADIO FREQUENCY DEGRADED
CIRCUITS

1st Named Inventor: Paul P. Chominski Application No.: 10/646,100 Sheet: 3 of 7

Docket No.: 2661P056D

3/7

			-,-				
FREQ- MHZ	DB[S11]	DB[S22]	DB[S21]	DB[S31]	DB[S23]	ANG[S21]	ANG[S31]
100.000	-37.954	-37.954	-28.522	-0.007	-37.911	87.616	-2.153
200.000	-32.006	-32.006	-22.517	-0.030	-31.963	85.214	-4.299
300.000	-28.606	-28.606	-19.021	-0.067	-28.563	82.852	-6.437
400.000	-26.279	-26.279	-16.556	-0.118	-26.236	80.512	-8.5 <u>63</u>
500.000	-24.564	-24.564	-14.659	-0.183	-24.521	78.214	-10.674
600.000	-23.256	-23.257	-13.122	-0.260	-23.214	75.960	-12.771
700.000	-22.250	-22.250	-11.835	-0.350	-22.208	73.752	-14.854 16.000
800.000	-21.484	-21.484	-10.728 0.750	-0.452	-21.441	71.591 60.471	-16.929 -19.000
900.000 1000.00	-20.922 -20.544	-20.922	-9.759 -8.895	-0.565 -0.689	-20.879 -20.501	69.471 67.392	-19.000 -21.076
1050.00	-20.344 -20.420	-20.544 -20.420	-8.495	-0.755	-20.378	66.366	-22.119
1100.00	-20.341	-20.341	-8.114	-0.825	-20.298	<i>65.343</i>	-23.167
1150.00	-20.306	-20.307	-7.749	-0.897	-20.264	64.326	-24.223
1200.00	-20.317	-20.317	-7.400	-0.973	-20.275	63.311	-25.286
1250.00	-20.377	-20.377	-7.063	-1.052	-20.335	62.295	-26.361
1300.00	-20.488	-20.488	-6.739	-1.134	-20.445	61.278	-27.448
1350.00	-20.654	-20.654	-6.425	-1.221	-20.612	60.255	-28.549
1400.00	-20.881	-20.881	-6.120	-1.312	-20.839	59.227	-29.667
1450.00	-21.178	-21.178	-5.825 5.520	-1.408	-21.135	58.187 57.125	-30.803
1500.00	-21.553 -22.021	-21.553	-5.538 5.259	-1.509 1.615	-21.510 21.079	57.135 56.064	-31.960 -33.139
1550.00 1600.00	-22.021 -22.599	-22.020 -22.599	-5.258 -4.984	-1.615 -1.729	-21.978 -22.557	54.972	-33.139 -34.343
1650.00	-23.314	-22.399 -23.314	-4.718	-1.850	-23.273	53.855	-35.573
1700.00	-24.202	-24.202	-4.457	-1.979	-24.160	<i>52.712</i>	-36.830
1720.00	-24.620	-24.620	-4.355	-2.033	-24.578	52.244	-37.341
1740.00	-25.077	-25.078	-4.253	-2.089	-25.036	51.772	-37.857
1760.00	-25.584	-25.584	-4.152	-2.146	-25.542	51.294	-38.378
1780.00	-26.143	-26.144	-4.053	-2.205	-26.103	50.810	-38.903
1800.00	-26.770	-26.770	-3.954	-2.266	-26.729	50.320	<i>-39.433</i>
1820.00	-27.473	-27.473	-3.856	-2.329	-27.433	49.823	-39.967
1840.00	-28.270	-28.270	-3.760	-2.394	-28.229	49.319	-40.507
1860.00 1880.00	-29.184	-29.184	-3.664 3.560	-2.461 -2.530	-29.144 -30.204	48.809 48.291	-41.051 -41.599
1900.00 1900.00	-30.243 -31.503	-30.243 -31.503	-3.569 -3.476	-2.530 -2.601	-30.204 -31.464	40.291 47.765	-41.599 -42.152
1920.00	-33.028	-31.303 -33.028	-3.383	-2.675	-32.990	47.233	-42.710
1940.00	-34.960	-34.961	-3.292	-2.751	-34.924	46.692	-43.272
1960.00	-37.531	-37.531	-3.202	-2.830	-37.496	46.143	-43.837
1980.00	-41.351	-41.352	-3.112	-2.912	-41.324	45.586	-44.405
2000.00	-48.656	-48.662	<i>-3.025</i>	-2.996	-48.647	45.020	-44.979
2020.00	-56.268	-56.275	-2.938	-3.084	-56.145	44.446	-45.554
2040.00	-43.561	-43.559	-2.853	-3.175	-43.497	43.862	-46.133
2060.00	-38.445	-38.444	-2.769	<i>-3.269</i>	-38.390	43.270	-46.713
2080.00	-35.164 -32.732	-35.164	-2.686 -2.605	-3.366 -3.467	-35.114 -32.683	42.669 42.059	-47.296 -47.879
2100.00 2120.00	-32.732 -30.788	-32.732 -30.788	-2.526	-3.407 -3.572	-32.003 -30.741	42.039 41.440	-47.073 -48.464
2140.00	-30.766 -29.164	-30.766 -29.163	-2.448	-3.681	-29.116	40.811	-49.048
2160.00	-27.765	-23.765	-2.372	-3.793	-27.718	40.173	-49.631
2180.00	-26.534	-26.535	-2.298	-3.910	-26.488	39.526	-50.213
2200.00	-25.434	<i>-25.435</i>	-2.225	-4.032	-25.389	38.870	-50.791

Blakely, Sokoloff, Taylor & Zafman LLP (714) 557-3800
Title: NINETY DEGREE COUPLER FOR RADIO FREQUENCY DEGRADED CIRCUITS
1st Named Inventor: Paul P. Chominski
Application No.: 10/646,100 Docket No.: 2661P056D
Sheet: 4 of 7

4/7

FREQ- MHZ	DB[S11]	DB[S22]	DB[S21]	DB[S31]	DB[S23]	ANG[S21]	ANG[S31]
2220.00	-24.439	-24.439	-2.155	-4.158	<i>-24.393</i>	38.205	-51.366
2240.00	-23.529	-23.529	-2.086	<i>-4.289</i>	-23.483	<i>37.532</i>	-51.937
2260.00	-22.689	-22.689	-2.020	-4.424	-22.644	<i>36.848</i>	-52.500
2280.00	-21.911	-21.911	-1.955	-4.565	-21.866	36.158	<i>-53.057</i>
2300.00	-21.185	-21.185	-1.893	-4.711	-21.140	<i>35.458</i>	<i>-53.605</i>
2350.00	-19.559	-19.559	-1.747	-5.100	-19.515	33.676	-54.922
2400.00	-18.149	-18.149	-1.617	<i>-5.526</i>	-18.105	31.850	-56.143
2450.00	-16.908	-16.908	-1.504	-5.991	-16.864	29.987	-57.231
<i>2500.00</i>	-15.805	-15.805	-1.408	-6.496	-15.761	28.096	-58.143
<i>2550.00</i>	-14.819	-14.819	-1.330	-7.044	-14.775	26.187	-58.828
2600.00	-13.933	-13.933	-1.271	-7.634	-13.889	24.272	-59.223
2650.00	-13.136	-13.136	-1.231	-8.265	-13.092	22.364	<i>-59.259</i>
2700.00	-12.417	-12.417	-1.209	-8. <i>934</i>	<i>-12.373</i>	20.471	-58.856
2750.00	-11.769	-11.769	-1.207	-9.634	-11.725	18.610	-57.918
2800.00	-11.186	-11.186	-1.221	-10.354	-11.142	16.792	-56.351
2850.00	-10.659	-10.659	-1.254	-11.076	-10.615	15.024	-54.055
2900.00	-10.187	-10.187	-1.302	-11.777	-10.143	13.320	-50.960
2950.00	-9. <i>762</i>	-9.762	-1.364	-12.425	-9.718	11.688	-47.022
3000.00	-9.381	-9.381	-1.440	-12.981	-9.337	10.135	-42.296

Figure 5B

Blakely, Sokoloff, Taylor & Zafman LLP (714) 557-3800 Title: NINETY DEGREE COUPLER FOR RADIO FREQUENCY DEGRADED

CIRCUITS

1st Named Inventor: Paul P. Chominski
Application No.: 10/646,100
Sheet: 5 of 7

5/7

Docket No.: 2661P056D

		22/222	00/00/1	55/0041	22(222)	444040041	44/0/0041
FREQ- MHZ	DB[S11]	DB[S22]	DB[S21]	DB[S31]	DB[S23]	ANG[S21]	ANG[S31]
10.0000	-6.021	-6.021	-6.021	-6.017	-6.023	-0.639	-3.144
20.0000	-6.023	-6.023	-6.023	-6.006	-6.031	-1.274	-6.287
30.0000	-6.026	-6.026	-6.025	-5.988	-6.044	-1.904	-9. <i>427</i>
40.0000	-6.030	-6.030	-6.028	-5.963	-6.062	-2.526	-12.562 15.601
50.0000	-6.036 6.044	-6.036 6.044	-6.031	-5.931 5.902	-6.086 6.114	-3.136 -3.732	-15.691 -18.814
60.0000 70.0000	-6.044 -6.054	-6.044 -6.054	-6.035 -6.038	-5.892 -5.847	-6.114 -6.149	-3.732 -4.313	-10.014
80.0000	-6.068	-6.068	-6.041	-5.795	-6.189	-4.876	-25.032
90.0000	-6.084	-6.084	-6.042	-5.736	-6.235	-5.420	-28.127
100.000	-6.105	-6.105	-6. <i>041</i>	-5.672	-6.287	-5.942	-31.212
120.000	-6.163	-6.163	-6.033	-5.526	-6.410	-6.922	-37.349
140.000	-6.246	-6.246	-6.009	-5.358	-6.561	-7.816	-43.444
160.000	-6.362	-6.362	<i>-5.962</i>	-5.173	-6.744	-8.636	-49.501
180.000	-6.522	-6.522	-5.888	-4.972	-6.963	-9.409	-55.526
200.000	-6.734	-6.734 7.013	-5.779 5.620	-4.760	-7.227 7.544	-10.176	-61.529
220.000 240.000	-7.013 7.272	-7.013 -7.373	-5.630 5.420	-4.541 -4.319	-7.544 -7.927	-10.996 -11.943	-67.520 -73.510
260.000 260.000	-7.373 -7.834	-7.834	-5.439 -5.207	-4.319 -4.100	-7.927 -8.392	-11.943 -13.099	-73.510 -79.505
280.000	-8.419	-8.419	-4.938	-3.890	-8.960	-14.554	-85.510
300.000	-9.156	-9.156	-4.642	-3.695	-9.661	-16.385	-91.520
320.000	-10.085	-10.085	-4.330	-3.521	-10.533	-18.656	-97.521
340.000	-11.257	-11.257	-4.019	-3.372	-11.630	-21.407	-103.490
360.000	-12.748	-12.748	-3.723	-3.253	-13.033	-24.645	-109.393
365.000	-13.184	-13.184	-3.65 <u>4</u>	-3.227	-13.446	-25.529	-110.854
370.000	-13.650	-13.650	-3.587	-3.204	-13.887	-26.442	-112.308
375.000	-14.149	-14.149	-3.522	-3.183	-14.362	-27.383 -28.352	-113.754
380.000 385.000	-14.685 -15.262	-14.685 -15.262	-3.461 -3.402	-3.163 -3.146	-14.873 -15.426	-20.332 -29.347	-115.192 -116.621
390.000	-15.202 -15.886	-15.886	-3.402 -3.346	-3.1 4 0	-16.027	-30.367	-118.040
395.000	-16.564	-16.564	-3.293	-3.116	-16.681	-31.413	-119.450
400.000	-17.304	-17.304	-3.244	-3.103	-17.398	-32.481	-120.849
401.000	-17.460	-17.460	-3.235	-3.101	-17.550	-32.698	-121.127
402.000	-17.620	-17.620	<i>-3.226</i>	-3.099	-17.705	-32.915	-121.405
403.000	-17.782	-17.782	-3.217	-3.097	-17.863	-33.134	121.683
404.000	-17.948	-17.948	-3.208	-3.094	-18.024	-33.353	-121.960
405.000	-18.117	-18.117	-3.199 3.100	-3.092 -3.090	-18.189 19.257	-33.573	-122.237
406.000 407.000	-18.290 -18.466	-18.290 -18.466	-3.190 -3.182	-3.090 -3.088	-18.357 -18.530	-33.794 -34.016	-122.513 -122.789
408.000	-18.646	-18.646	-3.173	-3.086	-18.705	-34.238	-123.064
409.000	-18.830	-18.831	-3.165	-3.085	-18.885	-34.462	-123.339
410.000	-19.019	-19.019	-3.157	-3.083	-19.069	-34.686	-123.614
411.000	-19.211	-19.211	<i>-3.149</i>	-3.081	-19.258	-34.911	-123.888
412.000	-19.408	-19.408	-3.142	-3.079	-19.451	-35.137	-124.161
413.000	-19.609	-19.609	-3.134	-3.078	-19.648	-35.364	-124.434
414.000	-19.816	-19.816	-3.127	-3.076	-19.851	-35.591	-124.707

Blakely, Sokoloff, Taylor & Zafman LLP (714) 557-3800
Title: NINETY DEGREE COUPLER FOR RADIO FREQUENCY DEGRADED
CIRCUITS

1st Named Inventor: Paul P. Chominski Application No.: 10/646,100 Sheet: 6 of 7

6/7

Docket No.: 2661P056D

	5566441	00/0001	0/.		22/222	411010041	44070043
FREQ- MHZ	DB[S11]	DB[S22]	DB[S21]	DB[S31]	DB[S23]	ANG[S21]	ANG[S31]
415.000	-20.028	-20.028	-3.120	<i>-3.075</i>	-20.058	-35.819	-124.979
416.000	-20.245	-20.24 <u>4</u>	-3.113	-3.073	-20.272	-36.048	-125.250
417.000	-20.467	-20.467	-3.106	-3.072	-20.490	-36.278	-125.522
418.000	-20.696	-20.696	-3.099 -3.092	-3.071 -3.069	-20.715	-36.509 -36.740	-125.792 -126.063
419.000 420.000	-20.930 -21.172	-20.930 -21.172	-3.092 -3.086	-3.068	-20.946 -21.184	-36.740 -36.972	-126.003 -126.332
421.000	-21.420	-21.420	-3.080	-3.067	-21.429	-37.204	-126.602
422.000	-21.675	-21.675	-3.074	-3.066	-21.681	-37.438	-126.870
423.000	-21.939	-21.939	-3.068	-3.065	-21.941	-37.672	-127.139
424.000	-22.210	-22.210	-3.062	-3.063	-22.210	-37.907	-127.407
425.000 426.000	-22.491 -22.781	-22.491 -22.781	-3.057 -3.051	-3.062 -3.061	-22.487 -22.774	-38.142 -38.379	-127.674 -127.941
427.000 427.000	-23.080	-22.767 -23.080	-3.046	-3.060	-23.070	-38.615	-128.207
428.000	-23.391	-23.391	-3.041	-3.060	-23.378	-38.853	-128.473
429.000	-23.713	-23.713	-3.036	-3.059	-23.697	-39.091	-128.739
430.000	-24.047	-24.047	<i>-3.032</i>	-3.0 <u>58</u>	-24.029	-39.330	-129.004
431.000	-24.395	-24.395 24.757	-3.027	-3.057 2.056	-24.374	-39.569	-129.268
432.000 433.000	-24.757 -25.135	-24.757 -25.135	-3.023 -3.019	-3.056 -3.056	-24.733 -25.109	-39.809 -40.060	-129.532 -129.796
434.000 434.000	-25.133 -25.530	-25.133 -25.529	-3.015 -3.015	-3.055	-25.70 3 -25.501	-40.291	-129.750 -130.059
435.000	-25.943	-25.943	-3.011	-3.054	-25.913	-40.533	-130.322
436.000	-26.377	-26.377	-3.007	-3.054	-26.345	-40.775	-130.584
437.000	-26.833	-26.834	-3.004	-3.053	-26.799	-41.019	-130.846
438.000	-27.316 -27.825	-27.315 -27.825	-3.000 -2.997	-3.053 -3.052	-27.279 -27.788	-41.262 -41.506	-131.107 -131.368
439.000 440.000	-27.025 -28.367	-27.025 -28.367	-2.991 -2.994	-3.052 -3.052	-27.766 -28.328	-41.751	-131.628
441.000	-28.944	-28.944	-2.992	-3.051	-28.903	-41.996	-131.888
442.000	-29.562	-29.561	-2.989	-3.051	-29.520	-42.242	-132.147
443.000	-30.226	-30.226	-2.987	-3.051	-30.184	<i>-42.486</i>	-132.407
444.000	-30.945	-30.945	-2.985	-3.050 -3.050	-30.902	-42.735	-132.665
445.000 446.000	-31.728 -32.587	-31.727 -32.588	-2.983 -2.981	-3.050 -3.050	-31.685 -32.543	-42.982 -43.230	-132.923 -133.181
447.000	-33.539	-33.539	-2.979	-3.049	-33.496	-43.478	-133.438
448.000	-34.606	-34.607	-2.978	-3.049	-34.564	-43.727	-133.695
449.000	-35.820	-35.819	-2.977	<i>-3.049</i>	-35.779	-43.976	-133.951
450.000	-37.223	-37.222	-2.976 -2.975	-3.049 -3.049	-37.185	-44.225	-134.207
451.000 452.000	-38.884 -40.911	-38.884 -40.912	-2.975 -2.974	-3.049 -3.048	-38.851 -40.886	-44.475 -44.726	-134.462 -134.717
453.000	-43.483	-43.484	-2.973	-3.048	-43.472	-44.977	-134.972
454.000	-46.857	-46.857	-2.973	-3.048	-46.880	-45.228	-135.226
455.000	-50.773	-50.772	-2.973	-3.048	-50.845	-45.480	-135.480
456.000	-50.920	-50.923	-2.973	-3.048	-50.927	-45.732	-135.733
457.000 458.000	-47.042 -43.629	-47.045 -43.630	-2.973 -2.974	-3.048 -3.048	-46.981 -43.555	-45.985 -46.238	-135.986 -136.238
459.000 459.000	-41.029	-41.029	-2.974	-3.048	-40.955	-46.491	-136.491
460.000	-38.985	-38.985	-2.975	-3.048	-38.913	-46.744	-136.742
465.000	-32.663	-32.664	-2.982	-3.048	-32.602	-48.018	-137.995
470.000	-29.023	-29.022	-2.994	-3.049	-28.973	-49.299	-139.239
475.000 480.000	-26.464 -24.492	-26.464 -24.492	-3.011 -3.032	-3.050 -3.051	-26.429 -24.475	-50.587 -51.881	-140.474 -141.701
485.000 485.000	-24.492 -22.886	-24.492 -22.886	-3.052 -3.058	-3.05 <i>1</i>	-24.475 -22.892	-51.661 -53.179	-141.701 -141.922
490.000	-21.531	-21.531	-3.090	<i>-3.053</i>	-21.564	-54.481	-144.136
495.000	-20.360	-20.360	-3.126	-3.0 <u>55</u>	-20.424	-55.786	-145.345
500.000	-19.327	-19.327	-3.167	-3.057	-19.428	-57.092	-146.549
510.000	-17.566	-17.566	-3.265	-3.061	-17.755	-59.705	-148.946

Blakely, Sokoloff, Taylor & Zafman LLP (714) 557-3800
Title: NINETY DEGREE COUPLER FOR RADIO FREQUENCY DEGRADED CIRCUITS
1st Named Inventor: Paul P. Chominski
Application No.: 10/646,100 Docket No.: 2661P056D
Sheet: 7 of 7

7/7

] ANG[S31]
-151.334 -153.718 -156.102
-156.102 -158.491 -160.884
-163.284 -165.689
-168.096 -170.502
-176.477 -177.679
-172.061 -166.749
-161.797 -157.230

Figure 6C